

This Page Is Inserted by IFW Operations
and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

**As rescanning documents *will not* correct images,
please do not report the images to the
Image Problem Mailbox.**

L Number	Hits	Search Text	DB	Time stamp
13	70	programmer with feeder	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/25 08:31
14	46	programmer with feeder and @ad<=20000118	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/25 09:28
15	0	(programmer with feeder and @ad<=20000118) and legacy	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/25 08:39
16	106	non\$legacy and legacy	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/25 08:40
17	3	(non\$legacy and legacy) and manufacturing	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/25 08:39
19	29	(non\$legacy and legacy) and @ad<=20000118	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/25 08:41
20	9475	non\$legacy legacy	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/25 08:41
21	3200	(non\$legacy legacy) and @ad<=20000118	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/25 08:41
22	9468	\$legacy	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/25 08:41
23	3194	\$legacy and @ad<=20000118	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/25 08:42
24	1515	(\$legacy and @ad<=20000118) and (manufactur\$3 conveyer production)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/25 08:43
25	2	(((\$legacy and @ad<=20000118) and (manufactur\$3 conveyer production)) and micro\$1devices	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/25 08:43
26	282	(\$legacy and @ad<=20000118) and ((\$5devices chips) with (manufactur\$3 conveyer production))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/25 08:51
27	29	(((\$legacy and @ad<=20000118) and ((\$5devices chips) with (manufactur\$3 conveyer production))) and robot\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/25 08:49

28	0	(\$legacy and @ad<=20000118) and (micro\$ldevices same robot)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/25 08:51
29	0	(\$legacy and @ad<=20000118) and (micro\$ldevices and robot)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/25 08:51
30	46	(\$legacy and @ad<=20000118) and (\$5devices and robot)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/25 09:03
31	16	micro\$lelectronics with robot	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/25 08:59
32	9	(micro\$lelectronics with robot) and @ad<=20000118	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/25 08:59
33	0	((micro\$lelectronics with robot) and @ad<=20000118) and \$llegacy	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/25 08:59
34	21	(((\$legacy and @ad<=20000118) and (\$5devices and robot)) and password	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/25 09:03
35	9	(((\$legacy and @ad<=20000118) and (\$5devices and robot)) and password and off\$l1line	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/25 09:26
36	1	(((\$legacy and @ad<=20000118) and (\$5devices and robot)) and password and off\$l1line) and administrator	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/25 09:04
37	1	("5224055").PN.	USPAT	2004/07/25 09:28
38	12	kit with off\$l1line	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/25 09:28
39	4	(kit with off\$l1line) and @ad<=20000118	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/25 09:28
40	0	(((((US-6658268-\$).did.).p58-p129.) (("6272618").PN.)) and password	USPAT	2004/07/25 09:43
-	1	("5814375").PN.	USPAT	2002/10/23 10:38
-	1	("5262954").PN.	USPAT	2002/10/23 10:38
-	1	("5819031").PN.	USPAT	2002/10/23 10:39
-	1	("5162986").PN.	USPAT	2002/10/23 10:39
-	0	microdevices with number with determining	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/24 16:20

-	1335	microdevices	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/24 16:20
-	246	micro-devices	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/24 16:20
-	34	microdevices and micro-devices	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/24 16:20
-	1547	microdevices or micro-devices	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/24 16:20
-	1018	(microdevices or micro-devices) and number	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/24 16:20
-	30	(microdevices or micro-devices) with number	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/24 16:22
-	66947	determining with number	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/24 16:23
-	6107	determining with number with device	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/24 16:29
-	1051466	determining with3 number with device	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/24 16:26
-	1621	((determining with number with device) and automat\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/24 16:31
-	228	((determining with number with device) and automat\$5) and manufacturing	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/24 16:31
-	477	((determining with number with device) and (automated or automation)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/24 16:31
-	97	((determining with number with device) and (automated or automation)) and manufacturing	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/24 16:32
-	2	((US-5896292-\$ or US-5814375-\$ or US-5262954-\$ or US-5819031-\$ or US-5162986-\$).did.) and serial	USPAT	2002/10/26 10:33
-	0	programmer/feeder.ab.	USPAT	2002/10/24 17:48
-	0	(programmer/feeder).ab.	USPAT	2002/10/24 17:49

-	2	(programmer and feeder).ab.	USPAT	2002/10/24 17:50
-	1	programmer/feeder	USPAT	2002/10/24 17:50
-	2	((US-5896292-\$ or US-5814375-\$ or US-5262954-\$ or US-5819031-\$ or US-5162986-\$).did.) and serial	USPAT	2002/10/26 10:35
-	1073	(serial adj number) and manufacturing and automated	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/26 10:35
-	15	(serial adj number) and manufacturing.ab. and automated.ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/26 10:36
-	10	((serial adj number) and manufacturing.ab. and automated.ab.) and @ad<=20000118	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/26 10:45
-	1	((serial adj number) and manufacturing.ab. and automated.ab.) and @ad<=20000118) and (devices or microdevices) and log	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/26 10:56
-	0	(serializing with (devices or microdevices)) same log	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/26 10:56
-	3	(serializing with (devices or microdevices)) and log	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/26 10:57
-	55	assigns with (serial adj number) and log	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/26 10:58
-	84931	(assigns with (serial adj number) and log) and automated or automation	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/26 10:58
-	22	(assigns with (serial adj number) and log) and (automated or automation)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/26 10:58
-	17	((assigns with (serial adj number) and log) and (automated or automation)) and @ad<=20000118	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/26 10:58
-	6	((assigns with (serial adj number) and log) and (automated or automation)) and @ad<=20000118) and manufacturing	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/26 11:06
-	1	(US-6167401-\$).did.	USPAT	2002/10/26 11:06
-	3561656	((US-6167401-\$).did.) and serial number	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/26 11:07

-	1	((US-6167401-\$).did.) and (serial adj number)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/26 12:08
-	1	((((US-6167401-\$).did.) and (serial adj number)) and password	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/26 12:09
-	9	(US-5896292-\$ or US-5814375-\$ or US-5262954-\$ or US-5819031-\$ or US-5162986-\$ or US-4544318-\$ or US-6167401-\$ or US-6169976-\$ or US-6188402-\$).did.	USPAT	2002/10/26 12:18
-	0	((US-5896292-\$ or US-5814375-\$ or US-5262954-\$ or US-5819031-\$ or US-5162986-\$ or US-4544318-\$ or US-6167401-\$ or US-6169976-\$ or US-6188402-\$).did.) and kit	USPAT	2002/10/26 12:18
-	0	(tasks with kit) same (off-line or offline)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/26 12:19
-	0	(tasks with kit) and (off-line or offline)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/26 12:19
-	0	((tasks with kit)) and (offline or off-line)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/26 12:20
-	142	(tasks with kit)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/26 12:20
-	84924	((tasks with kit)) and automated or automation	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/26 12:20
-	19	((tasks with kit)) and (automated or automation)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/26 12:21
-	7	((((tasks with kit)) and (automated or automation)) and manufacturing	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/26 12:22
-	7	((plurality or multiple) near3 tasks) same kit	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/26 12:28
-	1	("5644487").PN.	USPAT	2002/10/26 12:26
-	0	((("5644487").PN.) and kit	USPAT	2002/10/26 12:26
-	407	(tasks) same kit	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/26 12:29

-	19	((tasks) same kit) and (offline or off-line)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/26 12:33
-	7848	(defin\$5 or creat\$5 or generat\$5) with kit	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/26 12:37
-	36	((defin\$5 or creat\$5 or generat\$5) with kit) same tasks	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/26 12:34
-	582	(defin\$5 or creat\$5 or generat\$5) adj3 kit	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/26 12:38
-	4	((defin\$5 or creat\$5 or generat\$5) adj3 kit) same tasks	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/26 12:40
-	7	kit with (offline or off-line)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/26 12:41
-	1	programmer/feeder	USPAT	2002/10/26 16:13
-	142	task with kit	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/28 14:36
-	0	(task with kit) and (offline or off-line)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/28 14:37
-	118	(task with kit) and @ad<=20000118	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/28 14:42
-	21	((task with kit) and @ad<=20000118) and circuit	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/28 14:46
-	46	((task with kit) and @ad<=20000118) and ((creat\$4 or design\$4 or defin\$4) with kit)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/28 14:51
-	0	(combining with task) same kit	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/28 14:52
-	0	(defin\$4 adj kit) with task	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/28 14:56
-	35	defin\$4 adj kit	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/28 14:52

-	32	((defin\$4 or creat\$4 or combin\$4) with kit) same task	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/28 15:02
-	23	((((defin\$4 or creat\$4 or combin\$4) with kit) same task) and @ad<=20000118	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/28 14:57
-	13694	((defin\$4 or creat\$4 or combin\$4) with task)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/28 15:03
-	27	((defin\$4 or creat\$4 or combin\$4) with task) same kit	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/28 15:25
-	3061419	tasks with process with microdevices fwith circuit	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/28 15:08
-	0	tasks with process with microdevices with circuit	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/28 15:08
-	1	tasks with process with microdevices	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/28 15:08
-	16	(kit adj parts) near3 advantage	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/28 15:30
-	1737	legacy adj system	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/23 17:37
-	613	(legacy adj system) and @ad<=20000118	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/23 17:36
-	3051	legacy and @ad<=20000118	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/23 17:37
-	28	(legacy and @ad<=20000118) and (("not" adj legacy) non\$1legacy)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/23 17:45
-	23	((legacy and @ad<=20000118) and (("not" adj legacy) non\$1legacy)) and (device microdevice)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/23 18:13
-	0	((legacy and @ad<=20000118) and (("not" adj legacy) non\$1legacy)) and shutdown	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/23 18:48

-	24	((legacy and @ad<=20000118) and (("not" adj legacy) non\$legacy)) and process\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPÄT	2004/01/23 18:48
-	1	("6546437").PN.	USPAT	2004/07/25 10:03
-	0	("6546437").PN.) and processing	USPAT	2004/01/23 18:49
-	1	("6546437").PN.) and process\$4	USPAT	2004/01/23 19:06
-	1	("6546437").PN.) and (set\$lup parameters)	USPAT	2004/01/23 19:06
-	106	legacy and non\$legacy	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPÄT;	2004/07/20 11:37
-	18687948	@ad<=20000118	US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPÄT;	2004/07/20 11:37
-	29	(legacy and non\$legacy) and @ad<=20000118	US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPÄT;	2004/07/20 11:37
-	12	((legacy and non\$legacy) and @ad<=20000118) and independent\$4	US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPÄT;	2004/07/20 11:37
-	6	(legacy and non\$legacy) same independent\$4	US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPÄT;	2004/07/20 11:39
-	542325	(voicemail facsimile fax telephone telecommunications (call adj processing) phone) and @ad<=20000118	US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPÄT;	2004/07/20 11:39
-	0	((legacy and non\$legacy) same independent\$4) and @ad<=20000118	US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPÄT;	2004/07/20 11:39
-	667	(legacy non\$legacy) same independent\$4	US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPÄT;	2004/07/20 12:00
-	4	(legacy and non\$legacy) and ((legacy non\$legacy) same independent\$4) and @ad<=20000118	US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPÄT;	2004/07/20 12:01
-	6	(non\$legacy) same independent\$4	US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPÄT;	2004/07/20 12:02
-	0	(legacy and non\$legacy) and ((non\$legacy) same independent\$4) and @ad<=20000118	US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPÄT;	2004/07/20 12:02

-	0	((non\$legacy) same independent\$4) and @ad<=20000118	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/20 12:02
-	6	(nonlegacy non-legacy) same independent\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/20 12:03
-	0	@ad<=20000118 and ((nonlegacy non-legacy) same independent\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/20 12:05
-	13	computer with non\$legacy	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/20 12:05
-	6	@ad<=20000118 and (computer with non\$legacy)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/20 12:05
-	12	(US-5896292-\$ or US-5262954-\$ or US-5814375-\$ or US-5819031-\$ or US-5162986-\$ or US-4544318-\$ or US-6167401-\$ or US-6188402-\$ or US-6169976-\$ or US-5224055-\$ or US-5644487-\$).did. or (US-20020013640-\$).did.	USPAT; US-PGPUB	2004/07/22 13:13
-	4	((US-5896292-\$ or US-5262954-\$ or US-5814375-\$ or US-5819031-\$ or US-5162986-\$ or US-4544318-\$ or US-6167401-\$ or US-6188402-\$ or US-6169976-\$ or US-5224055-\$ or US-5644487-\$).did. or (US-20020013640-\$).did.) and independent	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/22 13:14
-	0	non\$legacy with independent	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/22 13:15
-	0	non\$legacy same independent	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/22 13:15
-	532	\$legacy same independent	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/22 13:15
-	212	\$legacy with independent	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/22 13:17
-	0	non\$legacy with (seperat\$3 independent\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/22 13:17
-	6	non\$legacy same (seperat\$3 independent\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/22 13:22

-	12	(non\$legacy and legacy).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/07/22 13:22
-	7	((non\$legacy and legacy).ab.) and @ad<=20000118	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/07/22 13:25
-	7	((non\$legacy and legacy).ab.) and @ad<=20000118 and computer	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/07/22 13:25
-	3	(non\$legacy with (disk (memory flash) adj card))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/07/24 13:00
-	18687949	@ad<=20000118	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/07/24 12:38
-	2	((non\$legacy with (disk (memory flash) adj card))) and @ad<=20000118	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/07/24 12:38
-	14	(non\$legacy same (disk (memory flash) adj card))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/07/24 12:41
-	2	((non\$legacy with (disk (memory flash) adj card))) and @ad<=20000118) and ((non\$legacy same (disk (memory flash) adj card)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/07/24 12:41
-	106	non\$legacy	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/07/24 12:42
-	95	non\$legacy and computer	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/07/24 12:42
-	27	@ad<=20000118 and (non\$legacy and computer)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/07/24 12:42
-	1371	\$legacy.ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/07/24 12:42
-	12	non\$legacy.ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/07/24 12:43
-	7	non\$legacy.ab. and @ad<=20000118	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/07/24 12:46

-	2	(non\$legacy.ab. and @ad<=20000118) and (non\$legacy with \$device)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/24 12:53
-	4	(non\$legacy with \$device) and @ad<=20000118	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/24 12:53
-	0	@ad<=20000118 and ((non\$legacy same (independent\$3 autonomous\$3)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/24 12:54
-	6	(non\$legacy same (independent\$3 autonomous\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/24 12:54
-	695	(\$legacy same (independent\$3 autonomous\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/24 12:55
-	259	@ad<=20000118 and ((\$legacy same (independent\$3 autonomous\$3)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/24 12:55
-	4	(@ad<=20000118 and ((\$legacy same (independent\$3 autonomous\$3)))) and non\$legacy	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/24 12:55
-	1202	(\$legacy same (disk card flash))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/24 13:01
-	18	(non\$legacy same (disk card flash))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/24 13:01
-	7	@ad<=20000118 and ((non\$legacy same (disk card flash)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/24 13:15
-	1	(US-6658268-\$).did.	USPAT	2004/07/24 14:48
-	1	((US-6658268-\$).did.) and non\$legacy	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/24 13:49
-	106	legacy and non\$legacy	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/24 14:15
-	29	@ad<=20000118 and (legacy and non\$legacy)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/24 14:08
-	0	(@ad<=20000118 and (legacy and non\$legacy)) and microdevices	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/24 14:08

-	1	(@ad<=20000118 and (legacy and non\$1legacy)) and (integrated adj circuit)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/24 14:08
-	7	(@ad<=20000118 and (legacy and non\$1legacy)) and (process\$3 same (pal pla prom rom ram))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/24 14:09
-	12	(legacy and non\$1legacy).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/24 14:55
-	1	(US-20010052033-\$).did.	USPAT; US-PGPUB	2004/07/24 14:54
-	1	((US-20010052033-\$).did.) and legacy and non\$1legacy	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/24 14:32
-	0	(computer with processing with microdoevices)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/24 14:33
-	0	(computer with processing with microdevices)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/24 14:33
-	0	(computer with processing with micro\$1devices)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/24 14:33
-	73	(processing with micro\$1devices)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/24 14:34
-	0	(legacy and non\$1legacy) and ((processing with micro\$1devices))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/24 14:34
-	0	\$legacy and ((processing with micro\$1devices))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/24 14:34
-	1	(US-20010052033-\$).did. and processing	USPAT; US-PGPUB	2004/07/24 14:49
-	1838	micro\$1device	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/24 14:40
-	722	@ad<=20000118 and micro\$1device	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/24 14:41
-	107	(@ad<=20000118 and micro\$1device) and (process\$3 with micro\$1device)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/24 14:46

-	156	(@ad<=20000118 and micro\$1device) and (\$3ROM \$3RAM)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPÄT	2004/07/24 14:48
-	0	(US-6658268-\$).did. and (\$3ROM \$3RAM)	USPAT	2004/07/24 14:48
-	1	(US-6658268-\$).did. and (RAM ROM CPU)	USPAT	2004/07/24 14:48
-	1	(US-20010052033-\$).did. and (\$3RAM \$3ROM)	US-PGPUB	2004/07/24 14:49
-	0	(US-20010052033-\$).did. and @ad<=20000118	US-PGPUB	2004/07/24 14:54
-	7	((legacy and non\$1legacy).ab.) and @ad<=20000118	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPÄT;	2004/07/24 14:58
-	106	legacy same non\$1legacy	US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPÄT;	2004/07/24 14:58
-	29	(legacy same non\$1legacy) and @ad<=20000118	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPÄT;	2004/07/24 15:05
-	9369	legacy not non\$1legacy	US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPÄT;	2004/07/24 15:36
-	3171	@ad<=20000118 and (legacy not non\$1legacy)	US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPÄT;	2004/07/24 15:06
-	528	(@ad<=20000118 and (legacy not non\$1legacy)) and legacy.ab.	US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPÄT;	2004/07/24 15:07
-	172	((@ad<=20000118 and (legacy not non\$1legacy)) and legacy.ab.) and ((computer manag\$3) with legacy)	US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPÄT;	2004/07/24 15:08
-	60	(((@ad<=20000118 and (legacy not non\$1legacy)) and legacy.ab.) and ((computer manag\$3) with legacy)) and legacy.ti.	US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPÄT;	2004/07/24 15:08
-	21	(((((@ad<=20000118 and (legacy not non\$1legacy)) and legacy.ab.) and ((computer manag\$3) with legacy)) and legacy.ti.) and devices	US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPÄT;	2004/07/24 15:08
-	0	(legacy and non\$1legacy) not (legacy with non\$1legacy)	US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPÄT;	2004/07/24 15:37
-	106	legacy and non\$1legacy	US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPÄT;	2004/07/24 15:40

-	29	(legacy and non\$legacy) and @ad<=20000118	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/24 15:53
-	0	non\$legacy not legacy	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/24 15:54
-	12	non\$legacy with advantages	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/24 15:55
-	5	@ad<=20000118 and (non\$legacy with advantages)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/24 15:54
-	1	non\$legacy with benefit	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/24 15:56
-	0	@ad<=20000118 and (non\$legacy with benefit)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/24 15:56
-	2	non\$legacy with (gain improv\$3 better)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/24 15:57
-	1	(non\$legacy with (gain improv\$3 better)) and @ad<=20000118	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/24 15:57
-	1	non\$legacy with (desir\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/24 15:59
-	20	(control\$3 manag\$3) with (non\$legacy with legacy)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/24 15:59
-	3	((control\$3 manag\$3) with (non\$legacy with legacy)) and @ad<=20000118	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/24 15:59